

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 7.00 (replaces version 6.00)

Revision: 24.05.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** SONAX Scratch Remover (Polish)**Article number:**

B03200410

(Polish [1] of article 03059410)

**1.2 Relevant identified uses of the substance or mixture and uses advised against****Application of the substance / the mixture**

Car care product

Polishing agent/ Burnishing compound

Consumer uses: Private households / general public / consumers

Professional uses

**Uses advised against** None**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

SONAX GmbH

Münchener Straße 75

D-86633 Neuburg (Donau)

Tel.: ++49 (0)8431/53-0

**Further information obtainable from:**

Product safety

E-mail: [erp@sonax.de](mailto:erp@sonax.de)

Phone: + 49 (0) 8431 53 217

**United Kingdom:**

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: [info@aaoil.co.uk](mailto:info@aaoil.co.uk)**1.4 Emergency telephone number:****European Union:** +49 (0) 89 19240 (Poison Centre Munich)**United Kingdom:** 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008** Void**Hazard pictograms** Void**Signal word** Void**Hazard statements** Void**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

**vPvB:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

**Determination of endocrine-disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

GB

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 7.00 (replaces version 6.00)

Revision: 24.05.2022

Trade name: SONAX Scratch Remover (Polish)

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: Emulsion of solvents, abrasives and additives

#### Dangerous components:

|  |  |        |
|--|--|--------|
| CAS: 72623-86-0<br>EINECS: 276-737-9<br>Reg.nr.: 01-2119474878-16-XXXX | Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based<br>⚠ Asp. Tox. 1, H304  | 5-<10% |
| EC No 934-956-3<br>Reg.nr.: 01-2119827000-58-xxxx                      | Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics<br>Alternative CAS number: 64742-46-7<br>⚠ Asp. Tox. 1, H304      | 3-<5%  |
| CAS: 56-81-5<br>EINECS: 200-289-5                                      | glycerol<br>substance with a Community workplace exposure limit  | 3-<5%  |
| EC No 934-954-2<br>Reg.nr.: 01-2119826592-36-xxxx                      | Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics<br>Alternative CAS number: 64742-46-7<br>⚠ Asp. Tox. 1, H304      | 1-<3%  |
| EC No 920-107-4<br>Reg.nr.: 01-2119453414-43-xxxx                      | Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics<br>Alternative CAS number: 64742-47-8<br>⚠ Asp. Tox. 1, H304, EUH066 | 1-<3%  |

Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Do not induce vomiting; call for medical help immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

#### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

#### 5.3 Advice for firefighters

##### Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 7.00 (replaces version 6.00)

Revision: 24.05.2022

Trade name: SONAX Scratch Remover (Polish)

(Contd. of page 2)

**6.3 Methods and material for containment and cleaning up:**

Pick up mechanically.

Absorb liquid components with liquid-binding material.

Dispose contaminated material as waste according to item 13.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling** No special precautions are necessary if used correctly.**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Provide solvent resistant, sealed floor.**Information about storage in one common storage facility:**

Store away from foodstuffs.

Observe local/state/federal regulations.

**Further information about storage conditions:**

Store receptacle in a well ventilated area.

Protect from frost.

Recommended storage temperature: 20 °C.

**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 56-81-5 glycerol**

WEL (Great Britain)

Long-term value: 10 mg/m<sup>3</sup>

OEL (Ireland)

Long-term value: 10 mg/m<sup>3</sup>**Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics**

GERMAN RCP-METHOD (EU)

Long-term value: 300 mg/m<sup>3</sup>  
2 (II) / AGW (German TRGS 900)**Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

GERMAN RCP-METHOD (EU)

Long-term value: 300 mg/m<sup>3</sup>  
2 (II) / AGW (German TRGS 900)**Regulatory information**

WEL (Great Britain): EH40/2020

OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

**DNELs****CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based**

Inhalative DNEL

1.2 mg/m<sup>3</sup> (consumer) (local / longterm (repeated))  
5.4 mg/m<sup>3</sup> (worker) (local / longterm (repeated))**Additional information:** The lists valid during the making were used as basis.**8.2 Exposure controls****Suitable technical control devices**

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

(Contd. on page 4)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 7.00 (replaces version 6.00)

Revision: 24.05.2022

Trade name: SONAX Scratch Remover (Polish)

(Contd. of page 3)

### Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

**Hand protection** Not required in normal cases.

**Eye/face protection** Not required in normal cases

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

Physical state

Fluid

Colour:

White

Odour:

Solvent-like

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

100 - 355 °C

Flammability

Product is not flammable.

Lower and upper explosion limit

Lower:

Not applicable

Upper:

Not applicable

Flash point:

Not applicable.

Auto-ignition temperature:

Product is not selfigniting.

Decomposition temperature:

Not determined.

pH

Not applicable.

Viscosity:

Kinematic viscosity at 40 °C

&gt;20.5 mm²/s

Solubility

water:

Partly miscible.

Partition coefficient n-octanol/water (log value)

Not determined.

Vapour pressure:

Not determined.

Density and/or relative density

Density at 20 °C:

0.98-0.99 g/cm³

Vapour density

Not determined.

### 9.2 Other information

Appearance:

Form:

Pasty

Important information on protection of health and environment, and on safety.

Explosive properties:

Product does not present an explosion hazard.

Change in condition

Evaporation rate

Not determined.

### Information with regard to physical hazard classes

Explosives

Void

Flammable gases

Void

Aerosols

Void

Oxidising gases

Void

Gases under pressure

Void

Flammable liquids

Void

Flammable solids

Void

Self-reactive substances and mixtures

Void

Pyrophoric liquids

Void

Pyrophoric solids

Void

Self-heating substances and mixtures

Void

Substances and mixtures, which emit flammable gases in contact with water

Void

Oxidising liquids

Void

Oxidising solids

Void

Organic peroxides

Void

Corrosive to metals

Void

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 7.00 (replaces version 6.00)

Revision: 24.05.2022

Trade name: SONAX Scratch Remover (Polish)

(Contd. of page 4)

Desensitised explosives

Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No dangerous reactions known.**10.2 Chemical stability** Stable under normal conditions.**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** See Section 7 for information on safe handling.**10.5 Incompatible materials:** strong oxidizing agents**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based**

Oral LD50 &gt;5,000 mg/kg (rat)

Dermal LD50 &gt;2,000 mg/kg (rabbit)

Inhalative LC50/4d &gt;5,000 mg/l (rat)

**Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics**

Oral LD50 &gt;5,000 mg/kg (rat) (OECD 401)

Dermal LD50 &gt;3,160 mg/kg (rabbit) (OECD 402)

Inhalative LC50 / 4h >5.266 mg/m<sup>3</sup> (rat) (OECD 403)**Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics**

Oral LD50 &gt;5,000 mg/kg (rat) (OECD 401)

Dermal LD50 &gt;3,160 mg/kg (rabbit) (OECD 402)

Inhalative LC50 / 4h >5.266 mg/m<sup>3</sup> (rat) (OECD 403)**Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

Oral LD50 &gt;5,000 mg/kg (rat) (OECD 401)

Dermal LD50 &gt;5,000 mg/kg (rabbit) (OECD 402)

Inhalative LC50 / 4h >5.6 mg/m<sup>3</sup> (rat) (OECD 403)**Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Based on available data, the classification criteria are not met.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard**Viscosity: > 20,5mm<sup>2</sup>/s (40°C)

Based on available data, the classification criteria are not met.

**11.2 Information on other hazards****Endocrine disrupting properties**

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

GB

(Contd. on page 6)



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 7.00 (replaces version 6.00)

Revision: 24.05.2022

Trade name: SONAX Scratch Remover (Polish)

(Contd. of page 5)

## SECTION 12: Ecological information

**12.1 Toxicity** There are no ecotoxicological data available on this mixture.

### Aquatic toxicity:

**CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based**

|              |   |
|--------------|---|
| NOEC / 2 d   | ≥10,000 mg/l (Daphnia magna) (OECD 202) |
| LC50 / 96h   | >100 mg/l (fish)                        |
| EC50 / 48h   | >10,000 mg/l (Daphnia magna) (OECD 202) |
| ErC 50 / 72h | >100 mg/l (algae)                       |
| NOEC 96h     | ≥100 mg/l (fish) (OECD 203)             |
| NOEC / 21 d  | ≥10 mg/l (Daphnia magna) (OECD 211)     |
| NOEC / 72 h  | ≥100 mg/l (algae)                       |

**Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics**

|             |   |
|-------------|---|
| LC50 / 4 d  | >1,028 mg/l (Scophtalamus maximus) (OECD 203) |
| LC50 / 48h  | >3,193 mg/l (Acartia tonsa)                   |
| NOEC / 21 d | >1,000 mg/l (Daphnia magna)                   |
| NOEC / 28d  | >1,000 mg/l (Oncorhynchus mykiss)             |
| LC50 / 3 d  | >10,000 mg/l (Skeletonema costatum)           |

**Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics**

|             |   |
|-------------|---|
| LC50 / 2 d  | >3,193 mg/l (Acartia tonsa)                   |
| LC50 / 4 d  | >1,028 mg/l (Scophtalamus maximus) (OECD 203) |
| NOEC / 21 d | >1,000 mg/l (Daphnia magna)                   |
| NOEC / 28d  | >1,000 mg/l (Oncorhynchus mykiss)             |
| EC50 / 3 d  | >10,000 mg/l (Skeletonema costatum)           |

**Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

|             |  |
|-------------|--|
| LC50 / 2 d  | >1,000 mg/l (Daphnia magna) (OECD 202)                   |
| LC50 / 4 d  | >1,000 mg/l (Oncorhynchus mykiss) (OECD 203)             |
| NOEC / 21 d | >1,000 mg/l (Daphnia magna)                              |
| NOEC / 28d  | >1,000 mg/l (Oncorhynchus mykiss)                        |
| EC50 / 3 d  | >1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201) |

### 12.2 Persistence and degradability

**CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based**

|                |             |
|----------------|-------------|
| Biodegradation | >60 % (28d) |
|----------------|-------------|

**Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics**

|                |      |
|----------------|------|
| Biodegradation | 74 % |
|----------------|------|

**Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics**

|                |      |
|----------------|------|
| Biodegradation | 74 % |
|----------------|------|

**Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

|                |        |
|----------------|--------|
| Biodegradation | 67.6 % |
|----------------|--------|

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

#### PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

#### vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB

### 12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 7.00 (replaces version 6.00)

Revision: 24.05.2022

Trade name: SONAX Scratch Remover (Polish)

(Contd. of page 6)

**12.7 Other adverse effects****Additional ecological information:****General notes:** The product may not be released into the environment without control.**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

**Recommendation** Waste must be disposed of while observing the local, official regulations.**European waste catalogue**

12 01 99 | wastes not otherwise specified

15 01 02 | plastic packaging

**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****14.1 UN number or ID number**

ADR/RID/ADN, IMDG, IATA Void

**14.2 UN proper shipping name**

ADR/RID/ADN, IMDG, IATA Void

**14.3 Transport hazard class(es)**ADR/RID/ADN, ADN, IMDG, IATA  
Class Void**14.4 Packing group**

ADR/RID/ADN, IMDG, IATA Void

**14.5 Environmental hazards:****Marine pollutant:** No**14.6 Special precautions for user**

Not applicable.

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

**UN "Model Regulation":**

Void

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

The following substance(s) in this product is (are) identified by CAS number either in countries not subject to the REACH regulation or in regulations not yet updated with the new naming convention for hydrocarbon solvents.

**European Directives:**

Directive 2010/75/EU (VOC) 6.40 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to  
REGULATION (EU) 2019/1148**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**National regulations:****Information about limitation of use:**

Employment restrictions concerning juveniles must be observed.

(Contd. on page 8)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 7.00 (replaces version 6.00)

Revision: 24.05.2022

**Trade name: SONAX Scratch Remover (Polish)**

(Contd. of page 7)

Employment restrictions concerning pregnant and lactating women must be observed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

#### Relevant phrases

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

Date of previous version: 22.04.2021

Version number of previous version: 6.00

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = Lethal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Asp. Tox. 1: Aspiration hazard – Category 1

#### Sources

*"Regulation (EC) Nr. 1907/2006 (REACH), 1272/2008 (CLP), 648/2004 (Detergents) in the respective valid version. National occupation exposure limits for each country in the respective valid version. Transportation regulations according to ADR, RID, IMDG, IATA in the respective valid version."*

**\* Data compared to the previous version altered.**

GB



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 4.01 (replaces version 4.00)

Revision: 22.04.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** SONAX Scratch Remover (Finish)

**Article number:**

B03050410

(Finish [2] of article 03059410)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Product category** PC31 Polishes and wax blends

**Application of the substance / the mixture** Car care product

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**

SONAX GmbH

Münchener Straße 75

D-86633 Neuburg (Donau)

Tel.: ++49 (0)8431/53-0

#### Further information obtainable from:

Product safety

E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

#### United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaol.co.uk

#### 1.4 Emergency telephone number:

**European Union:** +49 (0) 89 19240 (Poison Centre Munich)

**United Kingdom:** 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.

#### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008** Void

**Hazard pictograms** Void

**Signal word** Void

**Hazard statements** Void

**Precautionary statements** P102 Keep out of reach of children.

#### 2.3 Other hazards

**Results of PBT and vPvB assessment**
**PBT:** Not applicable.

**vPvB:** Not applicable.


**Determination of endocrine-disrupting properties** Not applicable.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**Description:** Emulsion of solvents, abrasives and additives

#### Dangerous components:

|   |   |        |
|---|---|--------|
| EC No 934-956-3<br>Reg.nr.: 01-2119827000-58-xxxx | Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics<br>Alternative CAS number: 64742-46-7<br> Asp. Tox. 1, H304 | 5-<10% |
|---|---|--------|

(Contd. on page 2)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 4.01 (replaces version 4.00)

Revision: 22.04.2021

**Trade name: SONAX Scratch Remover (Finish)**

|   |   |        |
|---|---|--------|
| (Contd. of page 1)                                |   |        |
| EC No 934-954-2<br>Reg.nr.: 01-2119826592-36-xxxx | Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03%<br>aromatics<br>Alternative CAS number: 64742-46-7<br>⚠ Asp. Tox. 1, H304      | 5-<10% |
| EC No 920-107-4<br>Reg.nr.: 01-2119453414-43-xxxx | Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2%<br>aromatics<br>Alternative CAS number: 64742-47-8<br>⚠ Asp. Tox. 1, H304, EUH066 | 5-<10% |

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**General information:** No special measures required.

**After inhalation:** Supply fresh air.

**After skin contact:**

Generally the product does not irritate the skin.

Wash the areas of skin affected with water and a mild detergent.

**After eye contact:** Rinse opened eye for several minutes under running water.

**After swallowing:** Do not induce vomiting; call for medical help immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

#### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

#### 5.3 Advice for firefighters

**Protective equipment:**

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

#### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

No special precautions are necessary if used correctly.

**Information about fire - and explosion protection:** No special measures required.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Storage:**
**Requirements to be met by storerooms and receptacles:** Provide solvent resistant, sealed floor.

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 4.01 (replaces version 4.00)

Revision: 22.04.2021

**Trade name: SONAX Scratch Remover (Finish)**

(Contd. of page 2)

**Information about storage in one common storage facility:**

Store away from foodstuffs.

Observe local/state/federal regulations.

**Further information about storage conditions:**

Protect from frost.

Recommended storage temperature: 20 °C.

**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics**

|                        |  |
|------------------------|--|
| GERMAN RCP-METHOD (EU) | Long-term value: 600 mg/m <sup>3</sup><br>2 (II) / AGW (German TRGS 900) |
|------------------------|--|

**Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics**

|                        |  |
|------------------------|--|
| GERMAN RCP-METHOD (EU) | Long-term value: 600 mg/m <sup>3</sup><br>2 (II) / AGW (German TRGS 900) |
|------------------------|--|

**Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

|                        |  |
|------------------------|--|
| GERMAN RCP-METHOD (EU) | Long-term value: 600 mg/m <sup>3</sup><br>2 (II) / AGW (German TRGS 900) |
|------------------------|--|

**Regulatory information** WEL (Great Britain): EH40/2011**DNELs****CAS: 8042-47-5 White mineral oil, petroleum**

|            |      |   |
|------------|------|---|
| Oral       | DNEL | 40 mg/kg (consumer) (long-term exposure - systemic effects)   |
| Dermal     | DNEL | 92 mg/kg bw/day (consumer) (long-term exposure - systemic effects)<br>220 mg/kg bw/day (worker) (long-term exposure - systemic effects) |
| Inhalative | DNEL | 35 mg/m <sup>3</sup> (consumer) (long-term exposure - systemic effects)   |
|            | DNEL | 160 mg/m <sup>3</sup> (worker) (long-term exposure - systemic effects)  |

**Additional information:** The lists valid during the making were used as basis.**8.2 Exposure controls****Suitable technical control devices**

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

**Respiratory protection:**

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

**Hand protection** Not required in normal cases.**Eye/face protection** Not required in normal cases**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Physical state**

Fluid

**Colour:**

White

**Odour:**

Solvent-like

**Melting point/freezing point:**

Undetermined.

(Contd. on page 4)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 4.01 (replaces version 4.00)

Revision: 22.04.2021

**Trade name: SONAX Scratch Remover (Finish)**

(Contd. of page 3)

|   |                              |
|---|------------------------------|
| <b>Boiling point or initial boiling point and boiling range</b> | 100 - 275 °C                 |
| <b>Flammability</b>   | Not applicable.              |
| <b>Lower and upper explosion limit</b>                          |                              |
| Lower:  | Not determined.              |
| Upper:  | Not determined.              |
| <b>Flash point:</b>   | Not applicable.              |
| <b>Auto-ignition temperature:</b>                               | Product is not selfigniting. |
| <b>Decomposition temperature:</b>                               | Not determined.              |
| <b>pH at 20 °C</b>  | 9.0 - 9.5                    |
| <b>Viscosity:</b>   |                              |
| Kinematic viscosity at 40 °C                                    | >20.5 mm²/s                  |
| Dynamic at 20 °C:   | 15000 - 25000 mPas           |
| <b>Solubility</b>   |                              |
| water:  | Partly miscible.             |
| <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined.              |
| <b>Vapour pressure:</b>   | Not determined.              |
| <b>Density and/or relative density</b>                          |                              |
| Density at 20 °C:   | 1.12 - 1.14 g/cm³            |
| Relative density  | Not determined.              |
| Vapour density  | Not determined.              |

### 9.2 Other information

|  |   |
|--|---|
| <b>Appearance:</b>   |   |
| <b>Form:</b>   | Viscous                                       |
| <b>Important information on protection of health and environment, and on safety.</b> |   |
| <b>Explosive properties:</b>   | Product does not present an explosion hazard. |
| <b>Change in condition</b>   |   |
| <b>Evaporation rate</b>  | Not determined.                               |

### Information with regard to physical hazard classes

|  |      |
|--|------|
| <b>Explosives</b>  | Void |
| <b>Flammable gases</b>   | Void |
| <b>Aerosols</b>  | Void |
| <b>Oxidising gases</b>   | Void |
| <b>Gases under pressure</b>  | Void |
| <b>Flammable liquids</b>   | Void |
| <b>Flammable solids</b>  | Void |
| <b>Self-reactive substances and mixtures</b>                                     | Void |
| <b>Pyrophoric liquids</b>  | Void |
| <b>Pyrophoric solids</b>   | Void |
| <b>Self-heating substances and mixtures</b>                                      | Void |
| <b>Substances and mixtures, which emit flammable gases in contact with water</b> | Void |
| <b>Oxidising liquids</b>   | Void |
| <b>Oxidising solids</b>  | Void |
| <b>Organic peroxides</b>   | Void |
| <b>Corrosive to metals</b>   | Void |
| <b>Desensitised explosives</b>   | Void |

## SECTION 10: Stability and reactivity

- 10.1 Reactivity** No dangerous reactions known.
- 10.2 Chemical stability** Stable under normal conditions.
- Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid** See Section 7 for information on safe handling.
- 10.5 Incompatible materials:** strong oxidizing agents

(Contd. on page 5)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 4.01 (replaces version 4.00)

Revision: 22.04.2021

Trade name: SONAX Scratch Remover (Finish)

10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 4)

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

##### LD/LC50 values relevant for classification:

CAS: 8042-47-5 White mineral oil, petroleum

|            |         |                       |
|------------|---------|-----------------------|
| Oral       | LD50    | >5,000 mg/kg (rat)    |
| Dermal     | LD50    | >2,000 mg/kg (rabbit) |
| Inhalative | LC50/4d | >5,000 mg/l (rat)     |

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

##### Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

#### 12.1 Toxicity There are no ecotoxicological data available on this mixture.

##### Aquatic toxicity:

CAS: 8042-47-5 White mineral oil, petroleum

|            |                           |
|------------|---------------------------|
| LC50 / 96h | >100 mg/l (fish)          |
| EC50 / 48h | >100 mg/l (daphnia)       |
| NOEC/NOEL  | ≥100 mg/l (fish) (96h)    |
|            | ≥100 mg/l (algae) (72h)   |
|            | ≥100 mg/l (daphnia) (48h) |

#### 12.2 Persistence and degradability

CAS: 8042-47-5 White mineral oil, petroleum

Biodegradation &gt;60 % (28d (OECD 301B))

#### 12.3 Bioaccumulative potential No further relevant information available.

#### 12.4 Mobility in soil No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

#### 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

#### 12.7 Other adverse effects

##### Additional ecological information:

General notes: The product may not be released into the environment without control.

GB

(Contd. on page 6)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 26.09.2022

Version: 4.01 (replaces version 4.00)

Revision: 22.04.2021

Trade name: SONAX Scratch Remover (Finish)

(Contd. of page 5)

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

**Recommendation** Waste must be disposed of while observing the local, official regulations.

#### European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

|           |                   |
|-----------|-------------------|
| 20 01 13* | solvents          |
| 15 01 02  | plastic packaging |

### SECTION 14: Transport information

|   |                 |
|---|-----------------|
| <b>14.1 UN number or ID number</b><br>ADR/RID/ADN, IMDG, IATA                   | Void            |
| <b>14.2 UN proper shipping name</b><br>ADR/RID/ADN, IMDG, IATA                  | Void            |
| <b>14.3 Transport hazard class(es)</b><br>ADR/RID/ADN, ADN, IMDG, IATA<br>Class | Void            |
| <b>14.4 Packing group</b><br>ADR/RID/ADN, IMDG, IATA                            | Void            |
| <b>14.5 Environmental hazards:</b><br><b>Marine pollutant:</b>                  | No              |
| <b>14.6 Special precautions for user</b>  | Not applicable. |
| <b>14.7 Maritime transport in bulk according to IMO instruments</b>             | Not applicable. |
| <b>UN "Model Regulation":</b>   | Void            |

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulations:

##### Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

Version number of previous version: 4.00

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = lethal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

(Contd. on page 7)

GB



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 26.09.2022

Version: 4.01 (replaces version 4.00)

Revision: 22.04.2021

**Trade name: SONAX Scratch Remover (Finish)**

(Contd. of page 6)

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Asp. Tox. 1: Aspiration hazard – Category 1

**Sources**

"Regulation (EC) Nr. 1907/2006 (REACH), 1272/2008 (CLP), 648/2004 (Detergents) in the respective valid version. National occupation exposure limits for each country in the respective valid version. Transportation regulations according to ADR, RID, IMDG, IATA in the respective valid version."

**\* Data compared to the previous version altered.**

GB